



Labstore Instruments LLC

Sundry Items

(Burners, Gas Taps, Water Taps, Stands & Boss Heads, Clamps & Rings, Stainless Steel Drying Rack, Laboratory Jacks, Spatulas & Tongs)



P.O.Box # 4729 Antioch, California - 94531 United States of America
E-mail: admin@labstore-instruments.com ♦ Website: www.labstore-instruments.com
Tel. (USA): +1 (925) 219-8586



Labstore Instruments LLC

"Your one stop for high quality and affordable instruments. We supply instruments tailor-made for your testing and measuring needs, and guarantee your satisfaction."

Labstore Instruments is a manufacturer and distributor of petroleum testing instruments. The company was founded back in 1978; our trading partners are the major refineries all over the world, Testing Laboratories, Analysts, Oil Refineries, Universities, and R&D Laboratories. Labstore helps incorporate high quality and affordable instruments in today's leading petroleum testing industry.

VISION

Our vision is to meet and satisfy our customers' needs through our environmental friendly, high quality affordable instruments provide and exceed international standards through value added specialized services.

OUR VALUES

RESPECT - In all our business activities, we accord respects to our customers, our staff, our suppliers and our peers.

INNOVATION - We strive to develop products and services that meet's our customer expectations and the industry requirements.

SUSTAINABILITY - We make business decisions that respect safety and the environment.

RESULTS - We do not accept complacency, we take responsibility for our own performance and use teamwork for the best outcomes.

COMMITMENT - We respond to the needs of our customers and go the extra mile to deliver great service.

RELIABILITY - We are there when you need us!

INDEX

NAME	PAGE NOS.
Burners -----	1-2
Gas Tap -----	3
Water Taps -----	4
Stands & Boss Heads -----	5
Clamps & Rings -----	6-7
Stainless Steel Drying Rack -----	8
Laboratory Jacks -----	9-10

BURNERS



LS-BB1
BUNSEN BURNER
giving long narrow pointed flame



LS-BB1a
BUNSEN BURNER
with stop cock.



LS-BB 2
BUNSEN BURNER
wire mesh on top. giving broad base flame



LS-BB 2a
BUNSEN BURNER with
wire mesh on top & stop cock.



LS-MB 1
MECKER BURNER for short but wide
flame of high temperature



LS-MB 1a
MECKER BURNER

BURNERS




LS-TB 1
TELCU BURNER having disc type air regulation
from bottom giving long steady flame.
LS- TB 1 A TELCU BURNER with stop cock.



LS-FB 1
FISHER TYPE Burner with stop
cock giving long wide strong flame.




LS-GB 1
GLASS BLOWING burner with Air.
Gas & Oxygen inlets, giving higher heat
ideal for hard glass blowing.
LS-GB 1a GLASS BLOWING as above but with
air & gas inlets only




LS - GT. W1
1 - way wall type with lever handle.
LS- GT. W2
2 - way wall type also available.


GAS TAPS




LS- GT W1 /NV
1-way wall type with needle
valve control & cap.




LS- GT. W2/NV
2 Way wall fitting gal tap



LS- GT. T
Table type gas tap with lever handle
LS- GT. T1-1 way
LS- GT. T2-2 way
LS- GT. T3-3 way
LS- GT. T4-4 way



LS- GT. T/NV
Table type gas tap with needle valve
control & cap.
LS- GT. T1-1 way
LS- GT. T2-2 way
LS- GT. T3-3 way
LS- GT. T4-4 way



LS- GT. MF MANIFOLE
Pipe line as per Customers requirement.
We also undertake Laying gas Pipeline

WATER TAPS



LS- WT 1
Simple one way bent type water tap.



LS- WT.1a
Single swanneck water tap



LS- WT.2 (W)
2-way wall type water tap available either with Bent / Straight type taps



LS - WT. 3 (W)
3-way wall type water tap having bent type in centre & either Bent / straight type on side.



LS - WT. 4
3-way water tap having Swanneck in the centre & 2 side bent type tap.



LS - WT. 4a
3-way water tap having swain neck in the centre and 2 side straight type taps

STANDS & BOSS HEADS




LS - RST 1
RETORT STAND having sturdy base C.I. level
to mount on table, painted in Black water



LS - TS
TRIPOD STAND made up of strong cast
iron top.(Circular or Triangular) size 200 mm
ht x 125 mm dia.



LS - RST. 4
HEAVY DUTY STANDS FOR USE WITH
STIBREERS, GLASS WARE ASSEMBLY



LS.BH. 16
BOSSHEAD OF M. S. to hold rods
6/12 mm dia at across angles very
firmly by One Kg.



LS-BH. 13
BOSSHEAD for use with Petrol stand and clamp precision made
with Thumb screw to hold 12/16 mm dia rod, in B.O. Finish.
LS. BH. 14
BOSSHEAD as per LS.BH. 13 but suitable to hold 19 mm dia rod
LS- BH. 15
BOSSHEAD as per LS BH 13 but suitable to hold 26 mm dia rod
LS- BH. 15/A
BOSSHEAD of heavy pattern made of C.I. to hold 25 mm dia rod
LS- BH. 15/A
BOSSHEAD of heavy pattern made of C.I. to hold 35 mm dia rod

CLAMPS & RINGS



LS- BCL.1
BURETTE CLAMP of brass casting
jaws, corksheet lined, to grip



LS- BCL. 2
BURETTE CLAMP as per LS,BCL. 1 but of
ANGLE type jaws for firm gripping



LS- RCL. 3
RETORT CLAMP as per LS, BCL. 1
but jaws suitable to grip 25/50 mm dia rods



LS - RCL. 4
RETORT (CONDENSOR) CLAMP as per LS,
CL. 3 but having bigger jaws of I.C. to grip up to
100/125 mm dia roads, fitted with 300 mm long



LS - RCL. 4/A
RETORT CLAMP of S.S. bigger jaws, to hold 150
mm dia rods, fitted with 300 mm long M.S. Rod



LS - RCL. 4/B
RETORT CLAMP (GIANT SIZE) of bigger &
stronger jaws of C.I. to grip upto 200 mm dia



LS - RCL. 5
RETORT CLAMP of die pressed S.S. cork lined
JAWS, operated by a Co- axial nut of grop 15/65
mm dia rod, fitted with 225 mm long M.S. Rod




LS - RCL. 5/A
RETORT CLAMP as per LS, RCL5 but operated
by side wing nut having one jaws steady


CLAMPS & RINGS




LS - RCL. 5/B
RETORT CLAMP, small size, made of M.S. in black painted, finish to hold 10/75 mm dia rod



LS - CCL.6
CONDENSOR CLAMP, 3 finger type , jaws of Brass casting, operated by a key, fitted with 300 mm long M.S. Rod Suitable to hold upto 75 mm dia rod.




LS- CCL.7
CONDENSOR CLAMP (Fisher type) 3 finger type of jaws of Aluminium, operated by double key, to hold objects upto 100 mm dia rod, fitted with 300 mm long M.S.Rod.




LS. CCL. 8
CONDENSOR CLAMP, 3 prongs of Aluminium covered with rubber tube /jaws, suitable to hold 75 mm dia rod , operated by a co-axial nut fitted with 225 mm long M.S.Rod



LS- UCL. 9
UNIVERSAL CLAMP (4 fingur) usual shape jaws of brass casting can be used for any general purpose.



LS- DBL. 12
DOUBLE BURETTE CLAMP Fisher type to hold two burettes at a time suitable for mounting on any iron stand of 1/2" dia rod Jaws are rubber covered with fine gripping and without obstruction the view of graduations.




LS. RR
RETORT RING for use with retort stands, fitted with bosshead available in 50 mm, 60 mm 75 mm, 100 mm, 130mm & 150 mm


STAINLESS STEEL DRYING RACK




LS. RK:
Draining and Drying Rack. made up of stainless steel, suitable to hold 90 Nos assorted glasswares, such as test tubes, Conical Flask, beakers, cylinders etc. at a time. It is consisting of 18 pins (in 3 rows) each of 12.5 cms (5") long, 7.5 cms (3") long (9 pin x 6 rods) Rack can be used in 3 positions. (a) Upright position, (b) Hanging on wall and © Lying down. Dimension Approx. 50 cms x 50 cms x 15 cms depth at base (20: 20" x 7")
Note: It can be supplied as per customers Design also on request.



CORK BORERS SET




LS. TTS TUBE STAND
Sturdy made of Aluminium / S.S. of 3 tiers. Available with different dia I.C. 125 (1/2") 19 (3/4") & 40 mm (1 1/2") & holes ideal for use in water both incubators, Sterilizers



FLAT FLANGE JOINTS. CLIPS
Made of Stainless steel clips with nut for holding flat flange joints of flasks and kettles size 75 mm, 100 mm, 125 mm & 150 mm

LABORATORY JACKS


Laboratory jack provides support to precise vertical adjustments of such Laboratory equipments as hot plates flask. It is steady and effortless raising or lowering action by easy rotation of knob and is ideal for supporting equipments in complex set up of all types. Jackes will be made up of either M.S. / STAINLESS STEEL and available in the size.



OPEN TYPE



ROUTINE TYPE



BOX TYPE

S ize	Top & bottom plates	Operation Range	Load
LS. J-1	15 cms x 15 cms	7.5 / 21 cms	4/6 kgs.
LS. J-2	20 cms x 20 cms	10 / 35 cms	8/10 kgs
LS. J-3	25 cms x 25 cms	15 / 351 cms	40/50 kgs
LS. J-4	35 cms x 35 cms	12 / 30 cms	25/30 kgs
LS. J-5	Routine Type 20 cms x 15 cms	14 / 33 cms	20/25 kgs
LS. J-6	Boxtype Model 11.5 cms x 12.5 cms	7.5 / 22 cms	20/25 kgs
LS. J-6A	Boxtype Model 11.5 cms x 12.5 cms	7.5 / 22 cms	20/30 kgs

Note : Lab. Jacks as per customer's Requirements can be supplied on request.
 Note : Size & design of any items are subject of change without notice

Spatulas

LS.SP.1 Spatula 175 mm long (7") with square flat and spoon ends.



LS.SP.1A Spatula 175 mm long (7") with square flat and oval shape spoon ends.



LS.SP.1B Spatula 175 mm long (7") with flat and pointed ends.




LS.SP.2 Spatula 200 mm long (8") with flat at one end scoop at other end.

LS.SP.2A Spatula as above but 280mm (11") long.

LS.SP.2B Spatula as above but 320mm (13") long.

LS.SP.3 Micro type spatula 150mm (6") long having narrow mouth and pointed end.



Tongs


LS. CTN. 1 – CRUCIBLE TONG : of S.S. 175 MM (7")
 Long Approx. Jaws are tapered suitable to use holding
 Crucibles, dish etc..




LS. CTN. 1A – CRUCIBLE FURNACE TONG : of S.S. Special
 Type suitable to use for holding crucible from furnace.
 The operation is done by lever and shield is provided in front of
 handle to protect Heat effect on hand while operating.



LS. FTN – FLASK TONG : of S.S. use to hold
 Conveniently flask containing hot or corrosive
 Liquids. Jaws are covered with cork Sheet.



LS. BTN - BEAKER TONG : of S.S. can be used to
 Hold beakers firmly, Jaws are lined with cork sheet.





P.O.Box # 4729 Antioch,California - 94531 United States of America
E-mail: admin@labstore-instruments.com ♦ Website: www.labstore-instruments.com
Tel. (USA): +1 (925) 219-8586